

N&C

Prestige Linea Natural



Prestige Linea Corinthian Beige Natural

5 colours / 1 Finish / 4 Sizes

Prestige Linea Natural

Prestige, an authentic force of nature, eternal in nobility and sophistication, is the true calling for modern Architecture.



Prestige Linea Travertino Grey Natural

Prestige Linea Natural

Prestige, an authentic force of nature, eternal in nobility and sophistication, is the true calling for modern Architecture.



Prestige Linea Calacatta Natural
 NCS188745 500x1000x5.5mm
 NCS188746 1000x1000x5.5mm
 NCS188747 1000x2500x5.5mm
 NCS188748 1000x3000x5.5mm



Prestige Linea Corinthian Beige Natural
 NCS188749 500x1000x5.5mm
 NCS188750 1000x1000x5.5mm
 NCS188751 1000x2500x5.5mm
 NCS188752 1000x3000x5.5mm



Prestige Linea Travertino Grey Natural
 NCS188753 500x1000x5.5mm
 NCS188754 1000x1000x5.5mm
 NCS188755 1000x2500x5.5mm
 NCS188756 1000x3000x5.5mm



Prestige Linea Fior Di Bosco Tortora Natural
 NCS188753 500x1000x5.5mm
 NCS188754 1000x1000x5.5mm
 NCS188755 1000x2500x5.5mm
 NCS188756 1000x3000x5.5mm

Prestige Linea Natural

Prestige, an authentic force of nature, eternal in nobility and sophistication, is the true calling for modern Architecture.



Prestige Linea Emperador Black Natural

NCS188761 500x1000x5.5mm

NCS188762 1000x1000x5.5mm

NCS188763 1000x2500x5.5mm

NCS188764 1000x3000x5.5mm



Prestige Linea Natural

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	
Water Absorption	EN ISO 10545-3	> 0.05% < 0.2%	
Breaking Strength	EN ISO 10545-4	≥ 2000 N	
Modulus of Rupture	EN ISO 10545-4	≥ 40 N/mm ²	
Resistance to Abrasion	EN ISO 10545-7	2-4	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	3-4	