

# N&C

## Prestige Linea Polished



Prestige Fior Di Bosco Tortora Polished

5 colours / 1 Finish / 4 Sizes

## Prestige Linea Polished

Prestige, an authentic force of nature, eternal in nobility and sophistication, is the true calling for modern Architecture.



Prestige Fior Di Bosco Tortora Polished

## Prestige Polished

Prestige, an authentic force of nature, eternal in nobility and sophistication, is the true calling for modern Architecture.



Prestige Linea Calacatta Polished

NCS188725 300x600x10.5mm

NCS188726 600x600x10.5mm

NCS188727 880x880x11mm

NCS188728 600x1200x11mm



Prestige Linea Corinthian Beige Polished

NCS188729 300x600x10.5mm

NCS188730 600x600x10.5mm

NCS188731 880x880x11mm

NCS188732 600x1200x11mm



Prestige Linea Travertino Grey Polished

NCS188733 300x600x10.5mm

NCS188734 600x600x10.5mm

NCS188735 880x880x11mm

NCS188736 600x1200x11mm



Prestige Linea Fior Di Bosco Tortora Polished

NCS188737 300x600x10.5mm


NCS188738 600x600x10.5mm

NCS188739 880x880x11mm

NCS188740 600x1200x11mm

## Prestige Polished

Prestige, an authentic force of nature, eternal in nobility and sophistication, is the true calling for modern Architecture.



Prestige Emperador Black Polished

NCS188741 300x600x10.5mm

NCS188742 600x600x10.5mm

NCS188743 880x880x11mm

NCS188744 600x1200x11mm



## Prestige Linea Polished

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	
Water Absorption	EN ISO 10545-3	> 0.05% < 0.2%	
Breaking Strength	EN ISO 10545-4	≥ 2000 N	
Modulus of Rupture	EN ISO 10545-4	≥ 40 N/mm <sup>2</sup>	
Resistance to Abrasion	EN ISO 10545-7	2-4	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

## Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	3-4	