

N&C

Slabstone Natural



Slabstone Beige Natural

5 colours / 1 Finish / 4 Sizes

Slabstone Natural

Slabstone reminds us of the beauty of natural stone in its purest form. Keeping the personality traits of each of the natural stones, the Slabstone collection reinterprets them, giving them a sober and elegant character.



Slabstone White Natural

Slabstone Natural

Slabstone reminds us of the beauty of natural stone in its purest form. Keeping the personality traits of each of the natural stones, the Slabstone collection reinterprets them, giving them a sober and elegant character.



Slabstone White Natural

NCS188786 300x600x9.5mm
 NCS188787 600x600x9.5mm
 NCS188788 450x900x9.5mm
 NCS188789 900x900x9.5mm



Slabstone Beige Natural

NCS188790 300x600x9.5mm
 NCS188791 600x600x9.5mm
 NCS188792 450x900x9.5mm
 NCS188793 900x900x9.5mm



Slabstone Tortora Natural

NCS188794 300x600x9.5mm
 NCS188795 600x600x9.5mm
 NCS188796 450x900x9.5mm
 NCS188797 900x900x9.5mm



Slabstone Light Grey Natural

NCS188798 300x600x9.5mm
 NCS188799 600x600x9.5mm
 NCS188800 450x900x9.5mm
 NCS188801 900x900x9.5mm

Slabstone Natural

Slabstone reminds us of the beauty of natural stone in its purest form. Keeping the personality traits of each of the natural stones, the Slabstone collection reinterprets them, giving them a sober and elegant character.



Slabstone Grey Natural

NCS188802 300x600x9.5mm

NCS188803 600x600x9.5mm

NCS188804 450x900x9.5mm

NCS188805 900x900x9.5mm



Slabstone Natural

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	R9
Water Absorption	EN ISO 10545-3	> 0.03% < 0.1%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 40 N/mm ²	
Resistance to Abrasion	EN ISO 10545-4	≤ 139 mm ³	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4	