

N&C

Subway 2cm




Subway Ash Anti-slip

4 colours / 1 Finish / 1 Size

Subway 2cm

Inspired both on the natural, material finish of concrete and the smoothness of surfaces in micro cement, Subway boldly assimilates the characteristic lines of floor and walls in a modern urban habitat.



Subway White Anti-slip
NCS188861 600x600x20mm



Subway Ash Anti-slip
NCS188862 600x600x20mm



Subway Clay Anti-slip
NCS188863 600x600x20mm



Subway Smoke Anti-slip
NCS188864 600x600x20mm



Subway 2cm

Technical Specifications Physical properties

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	R10
Water Absorption	EN ISO 10545-3	> 0.03% < 0.1%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 40 N/mm ²	
Resistance to Abrasion	EN ISO 10545-4	≤ 139 mm ³	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4	

020 8586 4600 | www.ncspecifier.com | info@nichollsandclarke.com