

# N&C

## Tecnica Natural



Tecnica Preto Natural

11 colours / 2 Finishes / 2 Sizes

08452 606 028 | [www.ncspecifier.com](http://www.ncspecifier.com) | [samples@ncspecifier.com](mailto:samples@ncspecifier.com)


# Tecnica Natural

Tecnica series was created for an architectural board to decorate public and private building, guaranteeing exceptional performances and allowing designers to create infinite options, choosing from the various formats, colours and special pieces.



Tecnica Natura Natural

NCS188877 300x300x8.5mm  
NCS188878 300x300x12mm



Tecnica Cinza Escuro Natural

NCS188879  
300x300x8.5mm



Tecnica Preto Natural

NCS188880  
300x300x8.5mm



Tecnica Branco Natural

NCS188881 300x300x8.5mm  
NCS188882 300x300x12mm



# Tecnica Natural

Tecnica series was created for an architectural board to decorate public and private building, guaranteeing exceptional performances and allowing designers to create infinite options, choosing from the various formats, colours and special pieces.



Tecnica Cinza Claro Natural

NCS188883  
300x300x8.5mm



Tecnica Granito Beige Natural

NCS188884  
300x300x8.5mm



Tecnica Granito Cinza Natural

NCS188885  
300x300x8.5mm



Tecnica Platina Natural

NCS188886 300x300x8.5mm  
NCS188887 300x300x12mm

# Tecnica Natural

Tecnica series was created for an architectural board to decorate public and private building, guaranteeing exceptional performances and allowing designers to create infinite options, choosing from the various formats, colours and special pieces.



Tecnica Branco Dotty Natural

NCS188888 300x300x8.5mm  
NCS188889 300x300x12mm



Tecnica Preto Dotty Natural

NCS188890  
300x300x8.5mm



Tecnica Granito Preto Natural

NCS188891 300x300x8.5mm  
NCS188892 300x300x12mm



## Tecnica Natural, Wavy and Espesurado

	Test Method	Test Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	
Water Absorption	EN ISO 10545-3	0.03%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 45 N/mm <sup>2</sup>	
Resistance to Abrasion	EN ISO 10545-4	≤ 123 mm <sup>3</sup>	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

## Chemical Properties

	Test Method	Test Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	HA	
Resistance to Acids (strong)	EN ISO 10545-13	HA	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4-5	