

N&C

Tool Natural



Tool White Natural

4 colours / 1 Finish / 3 Sizes

Tool Natural

Its graphic is that of a cement where the effect of salts is glimpsed in matt/gloss reflections. A versatile timeless surface that conciliates aesthetics with the advantages of a coloured porcelain stoneware paste.



Tool Light Grey Natural

Tool Natural

Its graphic is that of a cement where the effect of salts is glimpsed in matt/gloss reflections. A versatile timeless surface that conciliates aesthetics with the advantages of a coloured porcelain stoneware paste.



Tool White Natural

NCS188903 600x600x9.5mm

NCS188904 450x900x9.5mm

NCS188905 900x900x11mm



Tool Light Grey Natural

NCS188906 600x600x9.5mm

NCS188907 450x900x9.5mm

NCS188908 900x900x11mm



Tool Tortora Natural

NCS188909 600x600x9.5mm

NCS188910 450x900x9.5mm

NCS188911 900x900x11mm



Tool Grey Natural

NCS188912 600x600x9.5mm

NCS188913 450x900x9.5mm

NCS188914 900x900x11mm



Tool Natural

Technical Specifications Physical properties

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	36+	
Water Absorption	EN ISO 10545-3	> 0.03% < 0.1%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 45 N/mm ²	
Resistance to Abrasion	EN ISO 10545-4	≤ 139 mm ³	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4	

020 8586 4600 | www.ncspecifier.com | info@nichollsandclarke.com