

N&C

Tool Touch



Tool Grey Touch

4 colours / 1 Finish / 1 Size

Tool Touch

Its graphic is that of a cement where the effect of salts is glimpsed in matt/gloss reflections. A versatile timeless surface that conciliates aesthetics with the advantages of a coloured porcelain stoneware paste.



Tool Light Grey Touch

Tool Touch

Its graphic is that of a cement where the effect of salts is glimpsed in matt/gloss reflections. A versatile timeless surface that conciliates aesthetics with the advantages of a coloured porcelain stoneware paste.



Tool White Touch
NCS188915 600x600x9.5mm



Tool Light Grey Touch
NCS188916 600x600x9.5mm



Tool Tortora Touch
NCS188917 600x600x9.5mm



Tool Grey Touch
NCS188918 600x600x9.5mm



Tool Touch

Technical Specifications Physical properties

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	R10
Water Absorption	EN ISO 10545-3	> 0.03% < 0.1%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 45 N/mm ²	
Resistance to Abrasion	EN ISO 10545-4	≤ 139 mm ³	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4	