



Tool Anti-slip



Tool Grey Anti-slip

4 colours / 1 Finish / 2 Sizes

Tool Anti-slip

Its graphic is that of a cement where the effect of salts is glimpsed in matt/gloss reflections. A versatile timeless surface that conciliates aesthetics with the advantages of a coloured porcelain stoneware paste.



Tool Light Grey Anti-slip

Tool Anti-slip

Its graphic is that of a cement where the effect of salts is glimpsed in matt/gloss reflections. A versatile timeless surface that conciliates aesthetics with the advantages of a coloured porcelain stoneware paste.



Tool Light Grey Anti-slip
NCS188933 900x900x11mm



Tool Grey Anti-slip
NCS188936 900x900x11mm



Tool Anti-slip

Technical Specifications Physical properties

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	36+	R10
Water Absorption	EN ISO 10545-3	> 0.03% < 0.1%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 45 N/mm ²	
Resistance to Abrasion	EN ISO 10545-4	≤ 139 mm ³	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4	