

# N&C

## Carpet



Carpet Vestige Blue

2 colours / 1 Finish / 3 Sizes

## Carpet

Reminiscent of aged textiles, the collection offers a new dynamic to interiors, one that is stripped back, perfect for achieving utilitarian inspired interiors.



Carpet Sand

# Carpet

Reminiscent of aged textiles, the collection offers a new dynamic to interiors, one that is stripped back, perfect for achieving utilitarian inspired interiors.



Carpet Sand  
NB16408 500x1000x10mm



Carpet Vestige Blue  
NB16410 592x592x10mm



## Carpet (Sand & Vestige)

### Technical Specifications Physical properties

|                                               | Test of Norm (test standard) | Value of Norm (specification standard) | N&C Value                |
|-----------------------------------------------|------------------------------|----------------------------------------|--------------------------|
| Slip Resistance (Pendulum Test Values Rating) | BS-7976                      | -                                      | >36 (Low slip potential) |
| Water Absorption                              | ISO 10545-3                  | ISO 13006-UNE-EN 14411                 | < 0,5%                   |
| Breaking Strength                             | ISO 10545-4                  | ISO 13006-UNE-EN 14411                 | >2300 N                  |
| Modulus of Rupture                            | ISO 10545-4                  | ISO 13006-UNE-EN 14411                 | > 40 N/mm <sup>2</sup>   |
| Resistance to Abrasion                        | ISO 10545-7                  | ISO 13006-UNE-EN 14411                 | CLASE 4                  |
| Length                                        | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Width                                         | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Thickness                                     | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Straightness of Sides                         | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Squareness                                    | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Surface Flatness (Edge)                       | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Surface Flatness (Centre)                     | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Surface Flatness (Warpage)                    | ISO 10545-2                  | ISO 13006-UNE-EN 14411                 | PASS                     |
| Colour Resistance to Light Exposure           | DIN 51094                    | -                                      | No colour alterations    |

### Chemical Properties

|                                            | Test of Norm (test standard) | Value of Norm (specification standard) | N&C Value |
|--------------------------------------------|------------------------------|----------------------------------------|-----------|
| Resistance to Acids (weak)                 | ISO10545-13                  | ISO 13006-UNE-EN 14411                 | GLA       |
| Resistance to Acids (strong)               | ISO 10545-13                 | ISO 13006-UNE-EN 14411                 | GHA       |
| Resistance to House Hold Cleaning Products | ISO 10545-13                 | ISO 13006-UNE-EN 14411                 | GA        |
| Resistance to Staining                     | ISO 10545-14                 | ISO 13006-UNE-EN 14411                 | 5         |