

# N&C

## Eterna



Eterna Arena

6 Colours / 1 Finish / 3 Sizes

08452 606 028 | [www.ncspecifier.com](http://www.ncspecifier.com) | [samples@ncspecifier.com](mailto:samples@ncspecifier.com)

# Eterna

Combines the timeless appeal of stone infused with the anti-bacterial properties of CleanOut technology, resulting in a technologically advanced amalgamation of beauty and practicality.



Eterna Arena

NB16624 300x600x8.5mm  
NB16612 600x600x8.5mm  
NB16600 600x1200x11.7mm



Eterna Blanco

NB16625 300x600x8.5mm  
NB16613 600x600x8.5mm  
NB16601 600x1200x11.7mm



Eterna Greige

NB16626 300x600x8.5mm  
NB16614 600x600x8.5mm  
NB16602 600x1200x11.7mm



Eterna Mix Beige

NB16627 300x600x8.5mm  
NB16615 600x600x8.5mm  
NB16603 600x1200x11.7mm

# Eterna

Combines the timeless appeal of stone infused with the anti-bacterial properties of CleanOut technology, resulting in a technologically advanced amalgamation of beauty and practicality.



Eterna Mix Gris

NB16628 300x600x8.5mm  
NB16616 600x600x8.5mm  
NB16604 600x1200x11.7mm



Eterna Mix Multicolour

NB16629 300x600x8.5mm  
NB16617 600x600x8.5mm  
NB16605 600x1200x11.7mm



## Eterna

### Technical Specifications Physical properties

|   | Test of Norm                | Test of Norm                    | N&C Value |
|---|-----------------------------|---------------------------------|-----------|
| Slip Resistance<br>(Pendulum Test Values Rating)  | +36                         | BS7976-2:2002 /BSEN13036-4:2011 |           |
| Water Absorption  | ≤ 0,5                       | SO 10545-3                      |           |
| Breaking Strength   | ≥ 1300                      | SO 10545-4                      |           |
| Modulus of Rupture  | ≥ 35                        | SO 10545-4                      |           |
| Resistance to Abrasion<br>mix multicolor - mix gris - mix beige<br>Intended use - Class G<br>Bianco Intended use - Class H<br>Greige - arena Intended use – Class G |                             |                                 |           |
| Length  | 60x120 - 60x60 - 30x60      |                                 |           |
| Width   | 60x120 - 60x60 - 30x60      |                                 |           |
| Thickness   | 8.5mm                       |                                 |           |
| Straightness of Sides   | Complies with the standards | ISO 10545-2                     |           |
| Squareness  | Complies with the standards | ISO 10545-2                     |           |
| Surface Flatness  | Complies with the standards | ISO 10545-2                     |           |

### Chemical Properties

|   | Test of Norm | Test of Norm | N&C Value |
|---|--------------|--------------|-----------|
| Resistance to Acids (weak)                    | LA-LB        | SO 10545-13  |           |
| Resistance to Acids (strong)                  | HA-HB        | ISO 10545-13 |           |
| Resistance to House Hold Cleaning<br>Products | A            | ISO 10545-13 |           |
| Resistance to Staining                        | Class 5      | ISO 10545-14 |           |