

N&C

Gleeze



Gleeze Warm Beige

5 Colours / 1 Finish / 1 Size

Gleeze

Rich lustre and tactile appeal combine in a collection of visually striking tiles.



Gleeze Warm Beige

Gleeze

Rich lustre and tactile appeal combine in a collection of visually striking tiles.



Gleeze Glada Green Eye Décor & Gleeze Glada Green

Gleeze

Rich lustre and tactile appeal combine in a collection of visually striking tiles.




Gleeze Branco White

NB16470
200x75x10mm




Gleeze Warm Beige

NB16471
200x75x10mm



Gleeze Turchese Blue

NB16472
200x75x10mm



Gleeze Glada Green

NB16473
200x75x10mm

Gleeze

Rich lustre and tactile appeal combine in a collection of visually striking tiles.



Gleeze Grigio Grey

NB16474
200x75x10mm




Gleeze Branco White Eye Décor

NB16465
200x75x12.5mm



Gleeze Warm Beige Eye Décor

NB16566
200x75x12.5mm



Gleeze Turchese Blue Eye Décor

NB16467
200x75x12.5mm


Gleeze

Rich lustre and tactile appeal combine in a collection of visually striking tiles.



Gleeze Glada Green Eye Décor

NB16468
200x75x12.5mm



Gleeze Grigio Grey Eye Décor

NB16469
200x75x12.5mm



Gleeze

Technical Specifications Physical properties

	Test of Norm	Test of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	n/a	n/a	
Water Absorption	≤ 0,5	ISO 10545-3	
Breaking Strength	≥ 1300	ISO 10545-4	
Modulus of Rupture	≥ 35	ISO 10545-4	
Resistance to Abrasion Beige Intended use - Class F Bianco Intended use - Class F Giada Intended use - Class E Grigio Intended use - Class E Turchese Intended use – Class F			
Length	20CM		
Width	7.5CM		
Thickness	1CM	ISO 10545-2	
Straightness of Sides	Complies with the standards	ISO 10545-2	
Squareness	Complies with the standards		

Chemical Properties

	Test of Norm	Test of Norm	N&C Value
Resistance to Acids (weak)	LA-LB	ISO 10545-13	
Resistance to Acids (strong)	HA-HB	SO 10545-13	
Resistance to House Hold Cleaning Products	A	SO 10545-13	
Resistance to Staining	Class 5	SO 10545-14	