



## Langham



Langham Sapphire Blue Decor

4 Colours / 1 Finish / 1 Size

# Langham

The rich on-trend palette, indulgent gloss and the highly structured surface décor elevates the look of any interior wall space.



Langham Toffee Brown Decor

# Langham

The rich on-trend palette, indulgent gloss and the highly structured surface décor elevates the look of any interior wall space.




Langham White

NB16399  
75x300x8.5mm



Langham Jade Green

NB16400  
75x300x8.5mm



Langham Toffee Brown

NB16401  
75x300x8.5mm



Langham Sapphire Blue

NB16402  
75x300x8.5mm

# Langham

The rich on-trend palette, indulgent gloss and the highly structured surface décor elevates the look of any interior wall space.




Langham White Decor

NB16403  
75x300x8.5mm



Langham Jade Green Decor

NB16404  
75x300x8.5mm



Langham Toffee Brown Decor

NB16405  
75x300x8.5mm



Langham Sapphire Blue Decor

NB16406  
75x300x8.5mm



## Langham (Sapphire, Jade & Toffee)

### Technical Specifications Physical properties

	Test of Norm (test standard)	Value of Norm (specification standard)	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS-7976	-	N/A
Water Absorption	ISO 10545-3	ISO 13006-UNE-EN 14411	>10%
Breaking Strength	ISO 10545-4	ISO 13006-UNE-EN 14411	>200 N
Modulus of Rupture	ISO 10545-4	ISO 13006-UNE-EN 14411	> 15 N/mm <sup>2</sup>
Resistance to Abrasion	ISO 10545-7	ISO 13006-UNE-EN 14411	N/A
Length	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Width	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Thickness	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Straightness of Sides	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Squareness	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Surface Flatness (Edge)	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Surface Flatness (Centre)	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Surface Flatness (Warpage)	ISO 10545-2	ISO 13006-UNE-EN 14411	PASS
Colour Resistance to Light Exposure	DIN 51094	-	Information not available

### Chemical Properties

	Test of Norm (test standard)	Test of Norm (specification standard)	N&C Value
Resistance to Acids (weak)	ISO 10545-13	ISO 13006-UNE-EN 14411	GLB
Resistance to Acids (strong)	ISO 10545-13	ISO 13006-UNE-EN 14411	GHC
Resistance to House Hold Cleaning Products	ISO 10545-13	ISO 13006-UNE-EN 14411	GA
Resistance to Staining	ISO 10545-14	ISO 13006-UNE-EN 14411	5

Note: use for wall internal