

# N&C

## Nottingham



1 Colour / 1 Finish / 1 Size

08452 606 028 | [www.ncspecifier.com](http://www.ncspecifier.com) | [samples@ncspecifier.com](mailto:samples@ncspecifier.com)

# Nottingham

Urban chic avant garde in this collection of striking patterned tiles.



# Nottingham

Urban chic avant garde in this collection of striking patterned tiles.



Nottingham

NB16794  
316x316x8.7mm



## Nottingham

### Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS – 7976 – 2:2002	28	
Water Absorption	UNE-EN-ISO 10545-3	0.9%	
Breaking Strength	UNE-EN-ISO 10545-4	1341 N	
Modulus of Rupture	UNE-EN-ISO 10545-4	37N/mm <sup>2</sup>	
Resistance to Abrasion	UNE-EN-ISO 10545-7	4	
Length	UNE-EN-ISO 10545-2	250mm	
Width	UNE-EN-ISO 10545-2	250mm	
Thickness	UNE-EN-ISO 10545-2	8.4mm	
Straightness of Sides	UNE-EN-ISO 10545-2	0.8mm	
Squareness	UNE-EN-ISO 10545-2	0.8mm	
Surface Flatness	UNE-EN-ISO 10545-2	1mm	
Colour Resistance to Light Exposure	-----	-----	

### Chemical Properties

	Test of Norm	Test of Norm	N&C Value
Resistance to Acids (weak)	UNE-EN-ISO 10545-13	GA	
Resistance to Acids (strong)	UNE-EN-ISO 10545-13	GLA	
Resistance to House Hold Cleaning Products	UNE-EN-ISO 10545-13	GHA	
Resistance to Staining	UNE-EN-ISO 10545-14	5	