



## Organic Hexagon



Organic Hexagon White & Organic Hexagon Black

4 Colours / 1 Finish / 1 Size

## Organic Hexagon

Offered in our popular hexagonal format, the colours combine with the multi-finish surface and metallic glints in the décor to create an understated luxurious design.



Organic Hexagon Black

## Organic Hexagon

A modern take on a classic style, the bevel edge offers a popular look with added dimension.




Organic Hexagon White

NB16497  
230x270x8mm




Organic Hexagon Black

NB16496  
230x270x8mm



Organic Hexagon Emerald

NB16498  
230x270x8mm




Organic Hexagon Blue

NB16495  
230x270x8mm


## Organic Hexagon

A modern take on a classic style, the bevel edge offers a popular look with added dimension.



Organic Hexagon Black Decorated

NB16494  
230x270x8mm



Organic Hexagon Emerald Decorated

NB16493  
230x270x8mm



Organic Hexagon Blue Decorated

NB16492  
230x270x8mm



## Organic Hexagon

### Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS7976-2	≥36	>36
Water Absorption	ISO 10545-3	≤ 0,3%	Cumple/Achieved
Breaking Strength	ISO 10545-4	≥ 1300	2900
Modulus of Rupture	ISO 10545-4	≥ 35	49
Resistance to Abrasion	ISO 10545-7	PEI	4
Length	ISO 10545-2	± 0,05%	Cumple/Achieved
Width	ISO 10545-2	± 0,05%	Cumple/Achieved
Thickness	ISO 10545-2	± 5%	Cumple/Achieved
Straightness of Sides	ISO 10545-2	± 0,05%	Cumple/Achieved
Squareness	ISO 10545-2	± 0,6%	Cumple/Achieved
Surface Flatness	ISO 10545-2	± 0,05%	Cumple/Achieved
Colour Resistance to Light Exposure			-

### Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	ISO 10545-13	GLB/ULB	GLA
Resistance to Acids (strong)	ISO 10545-13	GHB/UHB	GHA
Resistance to House Hold Cleaning Products	ISO 10545-13	Min. GB/UB	GA
Resistance to Staining	ISO 10545-13	Min. 3	5