

N&C

Syncro



Syncro White

4 Colours/ 2 Finishes / 2 Sizes

Syncro

Combines the natural beauty of stone with the durability and easy care properties of ceramic and porcelain.



Syncro Grey & Syncro Graphito Floor

Syncro

Combines the natural beauty of stone with the durability and easy care properties of ceramic and porcelain.



Syncro White

NB17285 300x600x10mm
NB17286 600x600x9.5mm



Syncro Grey

NB17287 300x600x10mm
NB17288 600x600x9.5mm



Syncro Graphito Floor

NB17290
600x600x9.5mm



Syncro Multi Decor

NB17289
300x600x10mm



Syncro

Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976-2:2002	BS 7976-2:2002	>36
Water Absorption	EN ISO 10545 - 3	EN ISO 10545 - 3	< 0.5%
Breaking Strength	EN ISO 10545 - 4	EN ISO 10545 - 4	> 1300N
Modulus of Rupture			
Resistance to Abrasion	EN ISO 10545 - 7	EN ISO 10545 - 7	UGL
Length	EN ISO 10545 - 2	EN ISO 10545 - 2	0.6%
Width	EN ISO 10545 - 2	EN ISO 10545 - 2	0.6%
Thickness	EN ISO 10545 - 2	EN ISO 10545 - 2	5%
Straightness of Sides	EN ISO 10545 - 2	EN ISO 10545 - 2	0.5%
Squareness	EN ISO 10545 - 2	EN ISO 10545 - 2	0.5%
Surface Flatness	EN ISO 10545 - 2	EN ISO 10545 - 2	0.5%
Colour Resistance to Light Exposure			

Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	EN ISO 10545 - 13	EN ISO 10545 - 13	Class LA
Resistance to Acids (strong)	EN ISO 10545 - 13	EN ISO 10545 - 13	Class LA
Resistance to House Hold Cleaning Products	EN ISO 10545 - 13	EN ISO 10545 - 13	MIN GB
Resistance to Staining	EN ISO 10545 - 14	EN ISO 10545 - 14	min Class 3