

N&C

Natural



Natural White

6 Colours/ 1 Finish / 1 Size

Natural

The NATURAL collection was inspired by the grains of oak wood and interpreted it in different colours. This wood has a strong personality and mild shade variations, which accurately reflects the beauty of a natural wood.



Natural Cream

Natural

The NATURAL collection was inspired by the grains of oak wood and interpreted it in different colours. This wood has a strong personality and mild shade variations, which accurately reflects the beauty of a natural wood.



Natural White

NCS189601 200x900x9mm



Natural Cream

NCS189602 200x900x9mm



Natural Grey

NCS189603 200x900x9mm



Natural Tortora

NCS189604 200x900x9mm

Natural

The NATURAL collection was inspired by the grains of oak wood and interpreted it in different colours. This wood has a strong personality and mild shade variations, which accurately reflects the beauty of a natural wood.



Natural Brown

NCS189605 200x900x9mm



Natural Wenge

NCS189606 200x900x9mm



Natural

Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976-2:2002	BS 7976-2:2002	R9
Water Absorption	EN ISO 10545 - 3	<0.5%	0.03%
Breaking Strength	EN ISO 10545 - 4	>1300N	2300N
Modulus of Rupture	EN ISO 10545 - 4	>35 N/MM2	>45N/mm2
Resistance to Abrasion	EN ISO 10545 -6	<175MM3	123MM2
Length	EN ISO 10545 - 2	Non Rect. $\pm 0,6\%$, máx ± 2 mm	CONFORM
Width	EN ISO 10545 - 2	Non Rect. $\pm 0,6\%$, máx ± 2 mm	CONFORM
Thickness	EN ISO 10545 - 2	$\pm 5\%$ máx $\pm 0,5$ mm	CONFORM
Straightness of Sides	EN ISO 10545 - 2	Non Rect. $\pm 0,5\%$, máx $\pm 1,5$ mm	CONFORM
Squareness	EN ISO 10545 - 2	Non Rect. $\pm 0,5\%$, máx ± 2 mm	CONFORM
Surface Flatness			
Colour Resistance to Light Exposure			

Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	EN ISO 10545 - 13	EN ISO 10545 - 13	4-5 SIMPLE REMOVAL
Resistance to Acids (strong)	EN ISO 10545 - 13	EN ISO 10545 - 13	4-5 SIMPLE REMOVAL
Resistance to House Hold Cleaning Products	EN ISO 10545 - 13	EN ISO 10545 - 13	Class A
Resistance to Staining	EN ISO 10545 - 14	EN ISO 10545 - 14	4-5 SIMPLE REMOVAL