



Anarchic Dark

5 Colours/ 1 Finish / 4 Sizes



AnarChic is a reinterpretation of modern urban design evoking the memories left by the passing of life and time creating a connection between the architecture of the space and its history. Inspired by the aesthetics of charming decay and patine, the new porcelain stoneware range is a perfect blend between matter and color, bringing together the shaped reminiscence of the past in harmony with contemporary trends.



Anarchic Debris

AnarChic is a reinterpretation of modern urban design evoking the memories left by the passing of life and time creating a connection between the architecture of the space and its history.

Inspired by the aesthetics of charming decay and patine, the new porcelain stoneware range is a perfect blend between matter and color, bringing together the shaped reminiscence of the past in harmony with contemporary trends.



Anarchic White

NCS189707 900x900x10.5mm NCS189708 600x1200x10.5mm NCS189709 600x600x8.8mm NCS189710 300x600x8.8mm



Anarchic Cream

NCS189718 900x900x10.5mm NCS189719 600x1200x10.5mm NCS189720 600x600x8.8mm NCS189721 300x600x8.8mm



Anarchic Fog

NCS189713 900x900x10.5mm NCS189714 600x1200x10.5mm NCS189715 600x600x8.8mm NCS189716 300x600x8.8mm



Anarchic Debris

NCS189723 900x900x10.5mm NCS189724 600x1200x10.5mm NCS189725 600x600x8.8mm NCS189726 300x600x8.8mm

AnarChic is a reinterpretation of modern urban design evoking the memories left by the passing of life and time creating a connection between the architecture of the space and its history.

Inspired by the aesthetics of charming decay and patine, the new porcelain stoneware range is a perfect blend between matter and color, bringing together the shaped reminiscence of the past in harmony with contemporary trends.



Anarchic Dark

NCS189728 900x900x10.5mm NCS189729 600x1200x10.5mm NCS189730 600x600x8.8mm NCS189731 300x600x8.8mm



Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976-2	PTV [0 – 100]	PTV = 16
Water Absorption	EN ISO 10545-3	E ≤ 0,5%	COMPLIANT
Breaking Strength	EN ISO 10545-4	≥ 1300 N	COMPLIANT
Modulus of Rupture	EN ISO 10545-4	≥ 35 N/mm2	COMPLIANT
Resistance to Abrasion	EN ISO 10545-7	*According to tile colour	*According to tile colour
Length	EN ISO 10545-2	± 0,6%	COMPLIANT
Width	EN ISO 10545-2	± 0,6%	COMPLIANT
Thickness	EN ISO 10545-2	± 5%	COMPLIANT
Straightness of Sides	EN ISO 10545-2	± 0,5%	COMPLIANT
Squareness	EN ISO 10545-2	± 0,5%	COMPLIANT
Surface Flatness	EN ISO 10545-2	± 0,6%	COMPLIANT
Colour Resistance to Light Exposure	EN ISO 10545-16	*According to tile colour	*According to tile colour

Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	GLA-GLB-GLC	GLA
Resistance to Acids (strong)	EN ISO 10545-13	GHA-GHB-GHC	GHA
Resistance to House Hold Cleaning Products	EN ISO 10545-13	GA-GB-GC	GA
Resistance to Staining	EN ISO 10545-14	1-2-3-4-5	5