

N&C

Concept Lappato



Concept Grey Lappato

4 colours / 1 Finish / 5 Sizes

Concept Lappato

Produced in coloured paste porcelain stoneware, this collection is inspired in limestone, a very elegant and soft stone. Interpreted in porcelain, Concept presents a great resistance, which offers new possibilities and uses. In order to turn this collection more realistic, it was developed a mica effect, which can also be found in the original stone.



Concept White Lappato

Concept Lappato

Produced in coloured paste porcelain stoneware, this collection is inspired in limestone, a very elegant and soft stone. Interpreted in porcelain, Concept presents a great resistance, which offers new possibilities and uses. In order to turn this collection more realistic, it was developed a mica effect, which can also be found in the original stone.



Concept White Lappato

NCS188064 300x600x9.5mm
 NCS188065 600x600x9.5mm
 NCS188066 450x900x9.5mm
 NCS188067 900x900x11mm
 NCS188068 600x1200x11mm



Concept Beige Lappato

NCS188069 300x600x9.5mm
 NCS188070 600x600x9.5mm
 NCS188071 450x900x9.5mm
 NCS188072 900x900x11mm
 NCS188073 600x1200x11mm



Concept Light Grey Lappato

NCS188074 300x600x9.5mm
 NCS188075 600x600x9.5mm
 NCS188076 450x900x9.5mm
 NCS188077 900x900x11mm
 NCS188078 600x1200x11mm



Concept Grey Lappato

NCS188079 300x600x9.5mm
 NCS188080 600x600x9.5mm
 NCS188081 450x900x9.5mm
 NCS188082 900x900x11mm
 NCS188083 600x1200x11mm



Concept Soft Shiny

Technical Specifications Physical properties

	Test Method	Value Result	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS 7976	-	
Water Absorption	EN ISO 10545-3	> 0.03% < 0.1%	
Breaking Strength	EN ISO 10545-4	≥ 2300 N	
Modulus of Rupture	EN ISO 10545-4	≥ 45 N/mm ²	
Resistance to Abrasion	EN ISO 10545-4	≤ 139 mm ³	
Length	EN ISO 10545-2	According to the norm	
Width	EN ISO 10545-2	According to the norm	
Thickness	EN ISO 10545-2	According to the norm	
Straightness of Sides	EN ISO 10545-2	According to the norm	
Squareness	-	-	
Surface Flatness	EN ISO 10545-2	According to the norm	
Colour Resistance to Light Exposure	-	-	

Chemical Properties

	Test Method	Value Result	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	LA/LB	
Resistance to Acids (strong)	EN ISO 10545-13	LA/LB	
Resistance to House Hold Cleaning Products	EN ISO 10545-13	A	
Resistance to Staining	EN ISO 10545-14	4	