



## Shades Scales



Shades Scales Cobalto

12 colours / 1 Finish / 1 Sizes

## Shades Scales

Create unique interiors with a wide spectrum of colour through Shades, an artisan inspired collection.




Shades Scales Atlantico, Shades Scales Nordico, Shades Scales Cinca Claro, Shades Scales Branco

## Shades Scales

Create unique interiors with a wide spectrum of colour through Shades, an artisan inspired collection.




Shades Scales Cobalto  
NCS188218 135x150x10mm



Shades Scales Atlantico  
NCS188219 135x150x10mm



Shades Scales Bosque  
NCS188220 135x150x10mm



Shades Scales Sangue de Boi  
NCS188221 135x150x10mm

## Shades Arabesque

Create unique interiors with a wide spectrum of colour through Shades, an artisan inspired collection.



Shades Scales Preto  
NCS188222 135x150x10mm



Shades Scales Nordico  
NCS188223 135x150x10mm



Shades Scales Menta  
NCS188224 135x150x10mm



Shades Scales Cinca Claro  
NCS188225 135x150x10mm

## Shades Arabesque

Create unique interiors with a wide spectrum of colour through Shades, an artisan inspired collection.



Shades Scales Ambar  
NCS188226 135x150x10mm



Shades Scales Artico  
NCS188227 135x150x10mm



Shades Scales Perola  
NCS188228 135x150x10mm



Shades Scales Branco  
NCS188229 135x150x10mm



## Shades

### Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	N/A		
Water Absorption	EN ISO 10545	-310% - 20%17%	
Breaking Strength	EN ISO 10545-4	>600 N	>600N
Modulus of Rupture	EN ISO 10545-4	> 12 N/mm2	> 13 N/mm2
Resistance to Abrasion			
Length			
Width			
Thickness	0.9		
Straightness of Sides	EN ISO 10545	-2-0,3% to +0,3%	-0,3% to +0,3%
Squareness	EN ISO 10545	-2-0,5% to +0,5%	-0,5% to +0,5%

### Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	EN ISO 10545-13	product to product	Class LA
Resistance to Acids (strong)	EN ISO 10545-13	product to product	Class LA
Resistance to House Hold Cleaning Products	EN ISO 10545-13	> Class B	Class A