

# N&C

## 3D Stone



3D Stone Black

5 colours / 1 Finish / 1 Size

## 3D Stone


Natural stone effect split black tiles transform any space. The decadent feature wall is available in a series of natural tone.



3D Stone Magma

## 3D Stone


Natural stone effect split black tiles transform any space. The decadent feature wall is available in a series of natural tone.



**3D Stone Black**  
NB17544 170x520x12mm



**3D Stone Sand**  
NB17545 170x520x12mm



**3D Stone Magma**  
NB17546 170x520x12mm



**3D Stone Grey**  
NB17547 170x520x12mm

## 3D Stone



3D Stone White

NB17548 170x520x12mm



## 3D Stone

### Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	CEN/TS 16165	N/A	N/A
Water Absorption	BS ISO 10545-3	GROUP 1	PASSED
Breaking Strength	BS EN ISO 10545-4	>1300N	PASSED
Modulus of Rupture	BS EN ISO 10545-4	> 41 N/MM2	PASSED
Resistance to Abrasion			
Length	BS EN ISO 10545-2	0.5%	520+/-0.5/170+/-0.5
Width	BS EN ISO 10545-2	0.5%	520+/-0.5/170+/-0.5
Thickness	BS EN ISO 10545-2	5%	15+/-0.5
Straightness of Sides	BS EN ISO 10545-2	0.5%	0.5%
Squareness			
Surface Flatness	BS EN ISO 10545-2	0.5%	0.5%
Colour Resistance to Light Exposure			

### Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	BS EN ISO10545-13	MIN GLA	GLA
Resistance to Acids (strong)	BS EN ISO10545-13	MIN GHB	GHA
Resistance to House Hold Cleaning Products	BS EN ISO10545-13	MIN GB	GA
Resistance to Staining			