

# N&C

## Metro Bevel



Metro Black

17colours / 1 Finish / 2Size

08452 606 028 | [www.ncspecifier.com](http://www.ncspecifier.com) | [samples@ncspecifier.com](mailto:samples@ncspecifier.com)

## Metro Bevel

A modern take on a classic style, the bevel edge offers a popular look with added dimension.




Metro Bone Cream

# Metro Bevel

A modern take on a classic style, the bevel edge offers a popular look with added dimension.



Metro Black  
NB1748 200x100x7.5mm  
NB19717 75x150x



Metro White  
NB1747 200x100x7.5mm  
NB19715 75x150x



Metro Dark Grey  
NB1737 200x100x7.5mm



Metro Light Grey  
NB1744 200x100x7.5mm

# Metro Bevel

A modern take on a classic style, the bevel edge offers a popular look with added dimension.



Metro Bone Cream  
NB1734 200x100x7.5mm



Metro Almond  
NB1735 200x100x7.5mm



Metro Classic Cream  
NB1746 200x100x7.5mm



Metro Red  
NB1749 200x100x7.5mm  
NB19718 75x150x

# Metro Bevel


A modern take on a classic style, the bevel edge offers a popular look with added dimension.



Metro Sage  
NB1750 200x100x7.5mm  
NB19719 75x150x



Metro Plum  
NB1755 200x100x7.5mm



Metro Lime  
NB1743 200x100x7.5mm



Metro Coffee  
NB1736 200x100x7.5mm

# Metro Bevel

A modern take on a classic style, the bevel edge offers a popular look with added dimension.



Metro Pale Turquoise  
NB1770 200x100x7.5mm



Metro Silver Grey  
NB1773 200x100x7.5mm




Metro Slate Grey  
NB1774 200x100x7.5mm



Metro Pink  
NB1772 200x100x7.5mm

# Metro Bevel

A modern take on a classic style, the bevel edge offers a popular look with added dimension.



Metro Dark Turquoise  
NB1771 200x100x7.5mm



## Metro Bevel

### Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	N/A	N/A	N/A
Water Absorption	UNE-EN-ISO 10545	UNE-EN-ISO 10545	>10%
Breaking Strength	UNE-EN-ISO 10545	UNE-EN-ISO 10545	664
Modulus of Rupture	UNE-EN-ISO 10545	UNE-EN-ISO 10545	23
Resistance to Abrasion			
Length	UNE-EN-ISO 10545	UNE-EN-ISO 10545	200
Width	UNE-EN-ISO 10545	UNE-EN-ISO 10545	100
Thickness	UNE-EN-ISO 10545	UNE-EN-ISO 10545	7,5
Straightness of Sides	UNE-EN-ISO 10545	UNE-EN-ISO 10545	0
Squareness	UNE-EN-ISO 10545	UNE-EN-ISO 10545	0
Surface Flatness	UNE-EN-ISO 10545	UNE-EN-ISO 10545	0
Colour Resistance to Light Exposure			

### Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	UNE-EN-ISO 10545	UNE-EN-ISO 10545	LA
Resistance to Acids (strong)	UNE-EN-ISO 10545	UNE-EN-ISO 10545	LA
Resistance to House Hold Cleaning Products	UNE-EN-ISO 10545	UNE-EN-ISO 10545	A
Resistance to Staining	UNE-EN-ISO 10545	UNE-EN-ISO 10545	5