

# N&C

## Dolomiti Natural



Dolomiti Sabbia Natural

4 colours / 1 Finish / 1 Size

08452 606 028 | [www.ncspecifier.com](http://www.ncspecifier.com) | [samples@ncspecifier.com](mailto:samples@ncspecifier.com)

## Dolomiti Natural

Understated stone detailing characterises this luxurious stone effect range.



Dolomiti Cenere Natural

## Dolomiti Natural

Understated stone detailing characterises this luxurious stone effect range.



Dolomiti Calcite Natural  
NB18093 600x600x10mm  
NB18308 600x1200x10mm



Dolomiti Sabbia Natural  
NB18094 600x600x10mm  
NB18309 600x1200x10mm



Dolomiti Cenere Natural  
NB18095 600x600x10mm  
NB18310 600x1200x10mm



Dolomiti Basalto Natural  
NB18096 600x600x10mm  
NB18311 600x1200x10mm



## Dolomiti Natural

### Technical Specifications Physical properties

	Test of Norm	Value of Norm	N&C Value
Slip Resistance (Pendulum Test Values Rating)	BS EN 16165:2021 Annex C	> 36	51
Water Absorption	ISO 10545-3	≤ 0,5%	COMPLIANT
Breaking Strength	ISO 10545-4	Min 35 N/mm <sup>2</sup>	53,4 N/mm <sup>2</sup>
Modulus of Rupture	ISO 10545-4	Min 1300 N	2133 N
Resistance to Abrasion			
Length	ISO 10545-2	±0,6%	COMPLIANT
Width	ISO 10545-2	±0,6%	COMPLIANT
Thickness	ISO 10545-2	±5%	COMPLIANT
Straightness of Sides	ISO 10545-2	±0,5%	COMPLIANT
Squareness	ISO 10545-2	±0,5%	COMPLIANT
Surface Flatness	ISO 10545-2	±0,5%	COMPLIANT
Colour Resistance to Light Exposure	DIN 51094	They do not have to show Visible colour alteration	COMPLIANT

### Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	ISO 10545-13	Available on request	RESISTANT
Resistance to Acids (strong)	ISO 10545-13	Available on request	RESISTANT
Resistance to House Hold Cleaning Products	ISO 10545-13	Available on request	RESISTANT
Resistance to Staining	ISO 10545-14	Min. 3	5