

N&C

Dolomiti 2cm



Dolomiti Cenere Structured

4 colours / 1 Finish / 1 Size

Dolomiti 2cm

Understated stone detailing characterises this luxurious stone effect range.



Dolomiti Calcite Structured

Dolomiti 2cm

Understated stone detailing characterises this luxurious stone effect range.



Dolomiti Calcite Structured
NB18312 400x1200x20mm



Dolomiti Sabbia Structured
NB18313 400x1200x20mm



Dolomiti Cenere Structured
NB18314 400x1200x20mm



Dolomiti Basalto Structured
NB18315 400x1200x20mm



Dolomiti 2cm

Technical Specifications Physical properties

| | Test of Norm | Value of Norm | N&C Value |
|--|--------------------------|---------------|------------|
| Slip Resistance (Pendulum Test Values Rating) | BS EN 16165:2021 ANNEX C | >36 | R11 |
| Water Absorption | ISO 10545-3 | <0.5% | COMPLIANT |
| Breaking Strength | ISO 10545-4 | MIN 35 | 53,1 N/MM2 |
| Modulus of Rupture | ISO 10545-4 | N/MM2 MIN | 2177 N |
| Resistance to Abrasion | | 1300N | |
| Length | ISO 10545-2 | | COMPLIANT |
| Width | ISO 10545-2 | +0.6% | COMPLIANT |
| Thickness | ISO 10545-2 | +0.6% | COMPLIANT |
| Straightness of Sides | ISO 10545-2 | +5% | COMPLIANT |
| Squareness | ISO 10545-2 | +0.5% | COMPLIANT |
| Surface Flatness | ISO 10545-2 | +0.5% | COMPLIANT |
| Colour Resistance to Light Exposure | DIN 51094 | +0.5% | COMPLIANT |

THEY DO NOT HAVE TO SHOW
VISIBLE COLOUR ALTERATION

Chemical Properties

| | Test of Norm | Value of Norm | N&C Value |
|--|--------------|----------------------|-------------|
| Resistance to Acids (weak) | ISO 10545-13 | AVAILABLE ON REQUEST | RESISTANT |
| Resistance to Acids (strong) | ISO 10545-13 | AVAILABLE ON REQUEST | RESISTANT |
| Resistance to House Hold Cleaning Products | ISO10545-13 | AVAILABLE ON REQUEST | RESISTANT 5 |
| Resistance to Staining | ISO10545-14 | MIN. 3 | |