



Time Snow Natural

9 colours / 1 Finish / 5 Sizes





Time Cream Natural






Time Snow Natural
NB18780 300x600x10.5mm
NB18750 600x600x10.5mm
NCS188477 600x600x14mm
NB18690 900x900x11mm



Time Cream Natural
NB18781 300x600x10.5mm
NB18751 600x600x10.5mm
NCS188485 600x600x14mm
NB18691 900x900x11mm
NCS188487 600x1200x11mm




Time White Natural
NB18784 300x600x10.5mm
NB18754 600x600x10.5mm
NCS188482 600x1200x11mm




Time Beige Natural
NB18785 300x600x10.5mm
NB18755 600x600x10.5mm
NB18694 900x900x11mm






Time Dove Natural NB18786 300x600x10.5mm NB18756 600x600x10.5mm



Time Grey Natural
NB18787 300x600x10.5mm
NB18757 600x600x10.5mm
NCS188500 600x600x14mm
NCS188501 600x1200x11mm




Time Silver Natural
NB18782 300x600x10.5mm
NB18752 600x600x10.5mm
NCS188495 600x600x14mm
NB18692 900x900x11mm
NCS188497 600x1200x11mm



Time Carbon Natural
NB18788 300x600x10.5mm
NB18758 600x600x10.5mm
NB18695 900x900x11mm





The Black Natural
NB18783 300x600x10.5mm
NB18753 600x600x10.5mm
NB18693 900x900x11mm
NCS188508 600x1200x11mm



Technical Specifications Physical properties

DIN51130 BS 7976 PT	TV36+(NR&AS) R10 NR&R11 AS	
ISO10545-3 ISO	TIME20 0,03%	
10545-4 IS O IME20 BETWEEN 3200N & 6400N		
10545-4 ISO	TIME20 >50MM/M2	
10545-6 ISO	TIME20 123MM3	
10545-2 ISO	TIME20 +/-2%	
10545-2 ISO	TIME20 +/-0,2%	
10545-2 ISO	TIME20 +/-0,2%	
10545-2 ISO	TIME20 +/-0,2%	
10545-2 ISO	TIME20 +/-0,3%	
10545-2	TIME20 +/-0,2%	
	ISO10545-3 ISO 10545-4 ISOIMI 10545-4 ISO 10545-6 ISO 10545-2 ISO 10545-2 ISO 10545-2 ISO 10545-2 ISO 10545-2 ISO	10545-4 ISO IME20 BETWEEN 3200N & 640 10545-4 ISO TIME20 > 50MM/M2 10545-6 ISO TIME20 123MM3 10545-2 ISO TIME20 +/-2% 10545-2 ISO TIME20 +/-0,2% 10545-2 ISO TIME20 +/-0,2% 10545-2 ISO TIME20 +/-0,2% 10545-2 ISO TIME20 +/-0,3%

Chemical Properties

	Test of Norm	Value of Norm	N&C Value
Resistance to Acids (weak)	CSTB3778	TIME20, 3 NO ALTERATION	
Resistance to Acids (strong)	CSTB3778	TIME20, 3 NO ALTERATION	
Resistance to House Hold Cleani Products	ing ISO 10545-14		
Resistance to Staining		TIME20, 4-5 SIMPLE REMOVAI	